



# **Digi Z45 Industrial Controllers**

The complete automation control system in a box with sophisticated PLC-like automation control on the same platform that provides communications

This single, rugged, compact box combines the capabilities of programmable logic controllers (PLCs) and SCADA systems into one integrated toolset that allows rapid, end-to-end deployment for all industrial monitoring and control requirements. Coupled with an on-board, web-based Automation Control Application, the Digi Z45 Industrial Controller brings alarms, reports and control to your web browser, mobile device, or existing SCADA infrastructure without the need for custom software development.

Automation Control is a software application with an intuitive development environment. Monitoring and control applications are quickly deployed with a no-code, menu driven toolset that gets maintainable solutions to market faster and at a lower cost than legacy PLC approaches.

Digi Z45 Industrial Controllers interface with a wide range of sensors to bring data seamlessly and quickly into the system for processing. Standard support includes current and voltage for analog data, wet and dry contacts, Modbus RTU and TCP, and other vendor specific protocols.

The Z45 controller securely and efficiently moves data over the network. The controllers are provisioned for use on domestic and international carriers, with cellular, Ethernet and Wi-Fi communication options available. Whether the Z45 is operating as a communications device or as an application controller, Digi Axess is available to provide a detailed visualization of network, platform, and application operations. For specialized applications requiring custom coding the Z45 supports a downloadable cross compile development environment, a tested source distribution, and a fully documented tool chain.

### Related Digi devices and software

Digi Z1201 I/O



Digi Z45 RMS

**Industrial Controller** 









### Key features, benefits and applications

- Integrated interfaces for analog, digital, hex and pulse information processing
- Modbus client and server configurations
- · Built-in digital and analog input, digital output
- Network connectivity over USB, Ethernet and serial interfaces
- · On-board dashboard display: gauges, indicators and charts
- Self-provisioning devices report to Digi Axess for complete visibility of assets
- Mobile management with Digi Axess app (iOS / Android)
- LTE coverage on all bands for North American carriers with 3G HSPA fallback
- Automatic carrier provisioning and dual-SIM failover support

## DIGI **AXESS**



### Your Gateway to Cloud and Edge-Based **Remote Monitoring and Control Solutions**

Elevate your monitoring and control capabilities with Digi Axess. Whether you prioritize edge-based control or the flexibility of cloud-based monitoring, Digi Axess serves as your unified platform, offering an intuitive interface to streamline data management for enhanced operational efficiency.

Unlock simplified automation control at the edge, with our built in functions and logical operators to enable:

- Dynamic scheduling: customize tasks for peak efficiency using real-time data
- Conditional actions: trigger tailored responses based on complex conditions
- Adaptive control: optimize performance and adjust parameters based on feedback




## Automation and Digi Axess

### Automation control — no code, web-based logic configuration

The Z45 Automation Control Application offers the first platform where you can develop custom solutions to address complex problems without low level programming. Web-based configuration and solutions are developed on the controller, and automatically deploy from the controller to the cloud.

The no-code, rapid development software package allows for deployment of monitoring and control applications faster, and at a lower cost than legacy PLC toolsets.



#### "Language-less platform"

No programming required. Our Automation Control platform allows you to address complex problems without low level programming.

#### Complex formulas and logic

Built-in function and logical operators give you PLC-like control at the edge with:

- Level thresholds with hysteresis
- Control and monitoring at set thresholds
- Custom alarms and messages

#### Raw data interfaces

"Plug and Play" functionality for standard data types including Pulse, Digital, Analog, Modbus and more.

## Manage from Digi Axess — let Digi stand watch

Digi Axess provides a complete snapshot of your network and the equipment behind it. Know as much as you want, or as little as necessary, in order to make informed decisions. Sensor data is processed at the edge and passed to Digi Axess to offer a central point from which to manage all of your assets. See real-time actionable data with the ability to customize reports and alarms.

Digi eliminates the dependency on a server to perform network-wide control. Each endpoint is an autonomous endpoint capable of local monitoring and control. You are in control of the data and how it is used.

#### Take action

on real-time data with phone and cloud reporting

#### Define

and monitor critical points of the system

#### Customize

reports and alarms

#### **Receive alerts**

by text message and email during critical events

#### **Gain insights**

with access to historical data and automated reporting







## Specifications

Specifications	Digi Z45 Industrial Controllers
CELLULAR TECHNOLOGY	LTE bands: B1, B2, B3, B4, B5, B7, B8, B12, B13, B20, B25, B26, B29, B30, B41; 3G: B1, B2, B3, B4, B5, B8
	Multi-carrier, auto-configuration
	Dual-SIM (2FF)
	DL MIMO/Rx diversity support
	(1) 50 $\Omega$ SMA (center pin: male)
	FCC, IC, CE, PTCRB
APPROVALS	Verizon, AT&T, T-Mobile, Sprint, US Cellular, Bell, Rogers, Telus; visit digi.com/resources/certifications for latest cellular certifications
POSITION LOCATION	GPS, GLONASS
	10/100 Ethernet (RJ-45)
	(1) RS-232 (terminal block)
HOST INTERFACES	(1) RS-485 (terminal block)
	(1) Full-speed USB (Type A)
	(1) High-speed micro-USB OTG
INPUT / OUTPUT	(4) User configurable, digital/analog Inputs (0-5 V / 4-20 mA)
INFOT / GOTFOT	(2) Digital outputs (expandable with <b>Z1201 I/O Module</b> )
	128 MB DDR2 RAM
MEMORY	256 MB SLC NAND flash
	(1) MicroSD Slot (externally accessible)
	Linux 4.xx operating system
	Atmel ARM9 processor
PLATFORM	Web Manager 2.0
	Digi Axess
	Automation application
POWER	Input: 9 – 24 VDC
	Power: 190 mA (typical – Ethernet not connected, varies with signal level)
ENVIRONMENTAL	Operating temperature: -30° to 70° C (-22° to 158° F)
	Humidity: 90% non-condensing
DIMENSIONS	13.92 x 11.99 x 3.68 cm (5.48 x 4.72 x 1.45 in)
WEIGHT	0.29 kg (0.65 lb)
WARRANTY	3-year standard warranty



## Photos

## Digi Z45 Industrial Controller product photos

**Z45 Industrial Controller** 



Z45 Industrial Controller — front



Z45 Industrial Controller — right



Z45 Industrial Controller — top



Z45 Industrial Controller — back



Z45 Industrial Controller — left





## Part Numbers

Part Numbers	Digi Z45 Industrial Controllers*	
DIGI Z45 INDUSTRIAL CONTROLLER MODELS		
CTK-Z4550A2M	Digi Z45 Industrial Controller — Cellular, Digi Axess + Automation Licenses	
CTK-Z4550A2M-1	Digi Z45 Industrial Controller — Cellular, Digi Axess + Automation Licenses with antennas	

<sup>\*</sup>Contact Digi for Digi Data Plan options and pricing, or visit digi.com/support/professional-services/managed-connectivity-services.

Part Numbers	Digi Axess**
DIGI-AXESS-1YR	Digi Axess — 1-year subscription
DIGI-AXESS-3YR	Digi Axess — 3-year subscription

<sup>\*\*</sup>To learn more about Digi Axess, visit digiaxess.com.

Part Numbers	Digi Axess VPN
IM-VPN-V-25MB-1YR	Digi Axess VPN — 25 MB, 1-year subscription
IM-VPN-V-50MB-1YR	Digi Axess VPN — 50 MB, 1-year subscription
IM-VPN-V-150MB-1YR	Digi Axess VPN — 150 MB, 1-year subscription
IM-VPN-V-500MB-1YR	Digi Axess VPN — 500 MB, 1-year subscription
IM-VPN-V-1GB-1YR	Digi Axess VPN $-1$ GB, 1-year subscription

Part Numbers	Available Accessories***
CTK-Z1201S	Digi Multifunction I/O Controller
76002123	Antenna — external, MIMO 2 x 4G LTE / 3G / 2G, GPS, 1 m cable, low-profile, SMA
76002125	Antenna — pentaband, monopole 4G / 3G / 2G, GPS, swivel base SMA, hinged
76002126	Antenna — multiband, 4G / 3G / 2G, GPS, flex/strip, SMA
76002127	Power supply — wall; US 100-240 VAC / 50-60 Hz, 12 VDC, 1 A 0.25 in S/T
76002128	Power supply — DIN mount; out: 40 W, 24 VDC 1.7 A; in: 85~264 VAC
76002129	Power supply — DIN mount; out: 15 W, 24 VDC 0.6 A; in: 100-240 VAC 50/60 hz
76002130	Mount kit — DIN rail

 $<sup>{}^{***}</sup> Accessories \ not \ included \ with \ Digi \ Z45 \ Industrial \ Controller \ models \ unless \ otherwise \ noted.$ 

## For more information, please visit digi.com.



For more information about Digi Z45 Industrial Controllers, visit digi.com/z45.

DIGI

877-912-3444 | 952-912-3444