



**THE FAST TRACK
TO POSITIVE TRAIN
CONTROL COMPLIANCE**

THE CRITICAL ROLE OF CELLULAR IN MEETING THE PTC MANDATE

Whether it's for passenger or freight, automated train control is a requirement for U.S. railroad infrastructure, both in vehicles and waysides along the thousands of miles of track that crisscross the country. The United States Congressional Positive Train Control mandate requires operators to deploy a range of onboard computers and navigation equipment as well as systems to connect and control rail traffic.

While there are exceptions, PTC is required for Class I railroad main lines (lines that handle more than 5 million gross tons annually) over which any toxic or hazardous materials are transported, or railroad lines that carry intercity commuters. Experts estimate PTC impacts 60,000 miles of track and 20,000 locomotives.¹


PTC uses sophisticated equipment, communications and positioning technology to automatically control train speeds and movement if the operator does not or cannot take appropriate action given the circumstances.

PTC can reliably and functionally prevent train-to-train collisions, derailments caused by excessive speed, incursions into a work zone, and switching errors. For example, PTC can enforce a train to a stop before it passes a signal displaying a stop indication, or before diverging on an improperly positioned switch, thereby averting a potential collision.



1. <https://railroads.dot.gov/train-control/ptc/ptc-system-information>.

Digi cellular solutions are rugged and rail-ready for a full range of positive train control, wayside and in-transit connectivity applications.



RAIL-CERTIFIED PERFORMANCE

Digi TX64 5G Rail routers are the industry choice for on-the-move PTC deployments.

SIMPLE AND SECURE CONTROL

Configure and monitor moving or multi-location PTC connectivity with [Digi Remote Manager](#)

RIGHT-SIZE CONNECTIVITY

Digi IX30 routers deliver reliable, purpose-built wayside connectivity.

RAIL COMMUNICATIONS AND CELLULAR TECHNOLOGY

For decades, safe and efficient rail operations have relied on cellular technology for voice and data communications. It started with the GSM-R standard, adopted in 1997, that replaced dozens of incompatible analog systems across Europe. In the U.S., interoperable communications only recently started with the 220 MHz band. However, this has fallen short due to incompatible radio protocols. What's more, Canada and Mexico do not use the 220 MHz band for rail communications.

PTC communication networks must be secure, fault tolerant and have no single point of failure. For this reason, cellular technology is widely used throughout North America as a backup to terrestrial/fiber networks at fixed sites. Its other principle use is for remote management of onboard systems. It also provides a secondary path for train control messages routed to/from the train control center, which are transmitted primarily over 220 MHz radios. The broadband cellular link enables standards-based IP communications, providing high-speed and secure connections for an expanding list of applications.

A worldwide effort is underway to standardize rail communications based on emerging 5G cellular specifications. There is a convergence of IT and radio, a result of demand for mission-critical communications that can deliver economies of scale similar to the explosive growth seen in smartphones. The following sections introduce rail communication systems, as well as cellular use in the U.S. today and how 5G solutions will enable next-generation transport communications and positive train control.

RAIL COMMUNICATION SYSTEM REQUIREMENTS

Voice and data communications are critical to the operation of a passenger-rail or freight network. For train control, the key wireless performance requirements are fundamentally low latency and dependable data. In certain situations, control messages must be delivered intact and in time, or the locomotive automatically applies its brakes. Other more functional requirements are derived from the structure of rail systems and operations, and include:

- Cybersecurity
- Emergency group communications
- Video transmission
- Prioritized safety-critical applications

In the rail industry, dedicated frequency bands are traditionally considered mandatory for low latency and reliable data. Dedicated frequency is central to the dominant Global System for Mobile Communications - Railway (GSM-R) standard deployed throughout Europe, Asia, Australia and North Africa, which operates without contention predominately in the 900 MHz band. Similarly, in the U.S., 220 MHz has been the common channel to enable PTC interoperability for passenger rail and freight on shared tracks.

RECENT DEVELOPMENTS IN RAIL COMMUNICATIONS STANDARDS

The evolution of wireless communications technology is enabling mission-critical services on shared spectrum. The driving force behind these advances in global mobile cellular standards including LTE and the next generation 5G is the Third Generation Partnership Project (3GPP). This is a consortium of standards organizations from Asia, Europe and North America, with participation from industry associations around the world that create a consensus of market-specific requirements.

One such association, the International Union of Railways (IUC), developed a specification for its Future Railway Mobile Communications System (FRMCS)² that will replace GSM-R. The 3GPP Technical Study Group (TSG) SA1 is working to identify gaps between the FRMCS requirements and existing 3GPP functionality and expected 5G mission critical services.³ Ideally, the FRMCS user requirements will be covered within LTE standards. Where gaps exist, functional architecture enhancements, new procedures and information flows are to be suggested as candidates for normative specifications. FRMCS is scheduled to fully replace GSM-R by 2030.⁴

RAIL APPLICATIONS OVER CELLULAR

A migration by forward-thinking rail operations to broadband cellular networks is already underway.⁵ Early applications included wireless backup to terrestrial networks at wayside facilities, a service traditionally provided by point-to-point radio links. More recently, cellular is enabling central office access to onboard train control systems and as backup to primary 220 MHz communications.

Other applications support passenger convenience, safety and information. Onboard mobile access routers equipped with Wi-Fi hotspot technology enable laptop and tablet access to the Internet. Security personnel can also remotely access video surveillance systems when ongoing incident assessment is warranted. And passenger information systems provide entertainment, news and commuter information such as availability of scheduled transfers.

TRAIN CONTROL OVER CELLULAR TOMORROW

FRMCS would leverage the 3GPP transport and mission-critical services expected of 5G for rail communications, enabling higher data rates, lower data latencies, multimedia communication and improved communication reliability.⁶ When complete, the system would deliver the following capabilities:

- Prioritized emergency group communication, train control data and video service
- Seamless cellular connectivity in high-speed railway moving environments
- Low latency and high reliability data and video service
- Real-time train monitoring and management for safe train operation
- Reliable location tracking including tunnel conditions
- Legacy railway communication interworking to the GSM-R system

The higher data rates of 5G are largely a result of the increase in utilized spectrum. Unfortunately, current GSM-R and PTC 220 MHz band allocations are inadequate. In any case, those bands support mission-critical systems and it is impractical to consider any reauthorization. Therefore, either new dedicated spectrum must be allocated or railroads must identify suitable spectrum to share with other users. The latter is now possible due to advances in mobile cellular standards and related service offerings:

2. Future Railway Mobile Communication System User Requirements Specification, International Union of Railways, Version 3.0, Jan. 24, 2018. 3. GPP TR 23.790 - Study on application architecture for the Future Railway Mobile Communication System (FRMCS).

4. <https://www.railtech.com/infrastructure/2022/05/24/frmcs-to-replace-gsm-r-by-2030>

5. http://www.progressiverailroading.com/csx_transportation/article/Railroad-communications-technology-from-cellular-to-radio-to-satellite-to-Wi-Fi--30947

6. 3GPP TR 22.889 - Study on Future Railway Mobile Communication System (FRMCS).

- **Network Slicing** – This 5G capability allows multiple logical networks to be created on top of a common shared physical infrastructure.⁷
- **Priority and Pre-emption** – First introduced in 3GPP Release 8 in 2008, it has become a top priority for nationwide deployment on the major U.S. networks.
- **Public Safety Broadband Network** – Commuter rail operators are authorized to use the *FirstNet*® service and obtain access to the 20 MHz PSBN band.
- **Rugged Devices** – Trains and rail yards present challenging environments for deploying communications devices. It is essential for the cell modem to have ruggedized housing and withstand shock, vibration, temperature and humidity extremes.
- **Long Life** – Like all mission-critical operations, rail operators require reliability and a lengthy equipment lifecycle for efficiency and cost management. The connectivity solution must offer power-efficiency, redundancy, and highly reliable performance to minimize disruptions to operations and infrastructure.
- **Security** – The device must have built-in-protocols and methods to support:
 - Encryption – Prevent unauthorized snooping
 - Message integrity – Ensure packets aren't tampered with in transit
 - Authentication – Verify the message is from the proper, valid source

FOUR THINGS TO CONSIDER FOR PTC COMMUNICATIONS

- **Network Performance and Resilience** – In modern PTC deployments, broadband cellular can provide backup two-way connectivity among trains, wayside stations and rail operations. This supports far more sophisticated controls and information feeds than narrowband 220 MHz. As cell networks continue to advance, rail operators will benefit from priority and pre-emption to ensure their urgent messages are not delayed.



7. <https://www.gsma.com/futurenetworks/wp-content/uploads/2017/11/GSMA-An-Introduction-to-Network-Slicing.pdf>

THE DIGI TRANSPORTATION CELLULAR ROUTER FOR RAIL SYSTEMS


When you're looking for the connectivity infrastructure for Positive Train Control, [Digi TX64 5G Rail](#) is an ideal choice. This rugged, railway-rated cellular router offers rail industry certification, versatility, security features and performance.

Digi TX64 5G Rail provides a reliable high-speed cellular network connection. It features a flexible communications design with 5G/4G multi-carrier cellular, plus integrated Wi-Fi ac/b/g/n; a/c access point or client; serial and four-port Ethernet switch. It also features full on-board train certifications, including AAR S-9401 and EN50155. Communications interfaces include hardened connectors, specifically M12 for Ethernet and serial, as well as TNC connectors for antennas.

Digi management solutions provide easy setup, configuration and maintenance of large installations of remote Digi transportation devices. [Digi Remote Manager](#)[®] offers cloud-based device management for remote Digi cellular routers, gateways and third-party devices. With the Digi TX64 5G Rail cellular router, you benefit from:

- **Security** to ensure data integrity and protect against misuse and attack
- **Management** of the router that's reliable, flexible, intuitive and scalable to support even the largest fleets
- **Performance** to maintain the fastest connections with the highest availability
- **Versatility** to accommodate the complexities of today's many types of IP systems and devices
- **Agility** to support multiple carrier networks and future wireless standards

For more information, visit www.digi.com/PTC.





WHY DIGI?

Digi is a complete IoT solutions provider, supporting every aspect of your project, from mission-critical communications equipment to design and deployment services to get your application designed, installed, tested, and functioning securely, reliably and at peak performance.

Digi builds its products for high reliability, high performance, security, scalability, and versatility so customers can expect extended service life, quickly adapt to evolving system requirements, and adopt future technologies as they emerge. Digi embedded modules, routers, gateways, and infrastructure management solutions support the latest connected applications across verticals, from the enterprise to transportation, energy, industrial and smart cities use cases.

Our solutions enable connectivity to standards-based and proprietary equipment, devices, and sensors, and ensure reliable communications over virtually every form of wireless or wired systems. Our integrated remote management platform helps accelerate deployment and provide optimal

security using highly efficient network operations for mission-critical functions such as mass configuration and firmware updates, as well as system-wide monitoring with dashboards, alarms, and performance metrics.

COMPANY BACKGROUND

- Digi has been connecting the “Internet of Things” — devices, vehicles, equipment and assets – since 1985
- Digi is publicly traded on the NASDAQ stock exchange: DGII
- Headquartered in the Twin Cities of Minnesota, Digi employs over 700 people globally, and has connected over 100 million devices worldwide

As an IoT solutions provider, Digi puts proven technology to work for our customers so they can light up networks and launch new products. Machine connectivity that’s relentlessly reliable, secure, scalable and managed — and always comes through when you need it most. That’s Digi.

Learn more on our [About Digi](#) page.

Contact a Digi expert and get started today

PH: 877-912-3444
www.digi.com

Digi International Worldwide Headquarters
9350 Excelsior Blvd. Suite 700
Hopkins, MN 55343

