

4 STUFFING CHART

PART	RCM3365	RCM3365 32MB	RCM3375
U15	16MB	32MB	NOT INSTALLED
E-NET	ASIX	ASIX	ASIX


PART	SMSC	ASIX
U8	LAN91C113I	NOT INSTALLED
U13	NOT INSTALLED	AX88796L
R1	NOT INSTALLED	470 ohm
R14	NOT INSTALLED	470 ohm
R15	NOT INSTALLED	470 ohm
R26	NOT INSTALLED	470 ohm
R27	NOT INSTALLED	470 ohm
R30	24.9 ohm	NOT INSTALLED
R31	24.9 ohm	NOT INSTALLED
R32	10K	NOT INSTALLED
R33	NOT INSTALLED	2M
R34	0 ohm	470 ohm
R43	NOT INSTALLED	470 ohm
R44	0 ohm	NOT INSTALLED
R47	10K	NOT INSTALLED
R48	10K	NOT INSTALLED
R49	10K	NOT INSTALLED
R51	10K	NOT INSTALLED
R52	10K	NOT INSTALLED
R55	24.9 ohm	NOT INSTALLED
R56	24.9 ohm	NOT INSTALLED
R57	NOT INSTALLED	49.9 ohm
R62	470 ohm	NOT INSTALLED
R63	NOT INSTALLED	49.9 ohm
R75	470 ohm	NOT INSTALLED
R79	NOT INSTALLED	24.9K
R81	NOT INSTALLED	2.49K
R82	NOT INSTALLED	20K
C36	NOT INSTALLED	10uF @10V
C42	NOT INSTALLED	10uF @10V
C58	100nF	NOT INSTALLED
C62	10nF	2.2nF
C63	10nF	NOT INSTALLED
C69	NOT INSTALLED	2.2nF
C70	NOT INSTALLED	10nF
C71	NOT INSTALLED	10nF
C72	NOT INSTALLED	10nF
C73	NOT INSTALLED	100nF
C74	NOT INSTALLED	10nF

PART	SMSC	ASIX
C77	NOT INSTALLED	10nF
C78	NOT INSTALLED	10nF
C79	NOT INSTALLED	100nF
C80	NOT INSTALLED	100nF
C81	NOT INSTALLED	10nF
C82	NOT INSTALLED	10uF @ 10V
C85	NOT INSTALLED	100nF
L1	NOT INSTALLED	10 @ 100MHz
L3	NOT INSTALLED	10 @ 100MHz
DS4	NOT INSTALLED	Green LED

REVISION HISTORY			REVISION APPROVAL			
REV	ECO	DESCRIPTION	PROJECT ENGINEER	APPROVAL DATE	DOCUMENT CONTROL	APPROVAL DATE
A	E13240	Initial Release	VO	5/16/05	KF	5/16/05
B	E13375	Revise title block.	VO	6/27/05	KF	6/23/05
C	E14121	Add schmitt trigger to 32KHz Osc	VO	10/12/05	KF	10/18/05
D	E15098	Change Y2 to crystal. Changed C34 and C35 to 33pF	TCP		KF	
E	E15212	ADD STUFFING CHART TO INCLUDED 32MB NAND FLASH	XT		KF	


- NOTES: UNLESS OTHERWISE SPECIFIED;
1. ALL RESISTOR VALUES ARE IN OHMS, 1/16W, 5%
 2. ALL CAPACITORS ARE 16VDC OR HIGHER.
 3. THE ORIGINATION SOURCE OF A VOLTAGE IS REPRESENTED BY (V_{CC}), AND ALL REFERENCES TO THAT VOLTAGE ARE REPRESENTED BY (V_{CC}).

4. COMPONENT IN DASHED BOX AND COMPONENT VALUES SHOWN WITH AN ASTERISK (*) FOLLOWING THE VALUE MAY NOT BE INSTALLED, REFER TO THE STUFFING CHART.



COPYRIGHT 2007, RABBIT SEMICONDUCTOR, INC.



APPEND THE FOLLOWING DOCUMENTS WHEN CHANGING THIS DOCUMENT:		DRAWING CONTENT:		TITLE	
		DRAWN BY: (INITIAL RELEASE) VAN	6/23/2005	RCM3365/3375 RABBITCORE	
		REVISED BY: XT	05/30/07		
		APPROVALS: INITIAL RELEASE		RABBIT SEMICONDUCTOR www.rabbit.com	
		PROJECT ENGINEER:			
		ENGINEERING MANAGER:		SIZE B	DWG NO. 090-0214
		SIGNATURES	DATE	SCALE NONE	RELEASE DATE
					SHEET 1 OF 5




COPYRIGHT 2007, RABBIT SEMICONDUCTOR, INC.

SIZE	DWG NO.
B	090-0214
SCALE	REV LTR
NONE	E
SHEET	2 OF 5

ASIX E-NET CHIP





4
SEE STUFFING CHART FOR
FLASH MEMORY OPTIONS

SIZE B	DWG NO. 090-0214
SCALE NONE	REV LTR E
SHEET 5 OF 5	